

Level 8 Summer Review

Level 8 Summer Review 2015-16

1) Find the selling price if the cost price is \$172, overheads = \$61 and gain = 12%

2) By selling a printer for \$123, the dealer loses 25%, find the gain or loss percent if the printer is sold for \$188.60

3) If watermelons are bought at 11 melons for \$30 and sold at 10 melons for \$31, find the gain percent?

4) The difference between the selling price of a laptop at 7% profit and that at 16% profit is \$63. Find the cost price of the laptop

29

Pg ①

Level 8 Summer Review 2015-16

5) Andy sold a watch to Ben at a profit of 15%. Later Ben sold it back to Andy at a profit of 20% thereby gaining \$207. How much did Andy pay for the watch originally?

6) A fruit seller bought 80 cartoons of apples at \$25 per cartoon. He sold 50 of those cartoons at a loss of 10%. At what price per cartoon should he sell the remaining cartoons so as to gain 20% on the whole transaction?

7) A dealer sells two cars. The first car he sells at \$13,800 at a profit of 15%. The second car he sells at a loss of 10%. If he neither gained nor lost on the whole transaction, what was the cost price of the second car?

8) Andy sold a dining set at a gain of 15%. Had it been sold for \$375 more, he would have gained 20%. Find the cost price of the dining set.

Pg (2)

Level 8 Summer Review 2015-16

9)

Solve: $9x + 2y = -9$
 $18x - 5y = -18$

10)

Solve
 $6x - y = -4$
 $3x - 2y = 1$

11)

Solve
 $3x + 2y = -12$
 $2x + 3y = -8$

12)

Solve
 $8x + 3y = 27$
 $2x - 5y = 1$

13)

Solve
 $4x - 2y = 0$
 $5x + 3y = -11$

Level 8 Summer Review 2015-16

14) Solve
 $4x - 3y = 18$
 $3x - 4y = 17$

15) Find the compound interest on \$15,625 at 16% per year for 9 months compounded quarterly.

16) Calculate the compound interest on \$14,500 at 10% per year for 3 years.

17) A farmer got a loan of \$12,800 at 7.5% compound interest per year. How much amount will he have to repay back after 3 years?

18) Find the amount on \$12,500 for 2 years compounded annually at the rate of 15% for the first year and 16% for the second year?

C1

C2

19)

Factorize

$$a^3 - 5a^2 - a + 5$$

Factorize

$$x^2 - y^2 + 2yx - z^2$$

20)

Factorize

$$x - y - x^2 + y^2$$

Factorize

$$4x^2y - 9y^3$$

21)

Factorize

$$x^2 - 4xz + 4z^2 - y^2$$

Factorize

$$2(x-3)^2 - 32$$

C1

22)

Solve

$$2x^2 + 5x - 3 = 0$$

C2

Solve

$$2x^2 + 3x - 90 = 0$$

9 Pg

23)

Solve

$$10 + 3x - x^2 = 0$$

Solve

$$-4x^2 - 12x + 7 = 0$$

24)

Solve

$$12y^2 + 4y - 5 = 0$$

Solve

$$3x^2 - 4x - 7 = 0$$

Level 8 Summer Review 2015-16

25)

Solve $\frac{(x+1)}{(x-2)} = \frac{(x-2)}{(x-3)}$

26)

Solve $\frac{(2x-3)}{(2x-1)} = \frac{(3x-1)}{(3x+1)}$

27)

Solve $(x-1) = \frac{3}{4}(x+1) - \frac{1}{2}$

28)

Solve $\frac{(x+7)}{3} = 1 + \frac{(3x-2)}{5}$

Level 8 Summer Review 2015-16

29) Solve $(x-4)(x+4) = (x+4)(x-7) + 33$












30) Solve $(x-2)(x+3) = (x^2-4)$

31) Solve $\frac{(x-4)}{5} + \frac{(x+2)}{2} = 10$

32) Solve $\frac{(5-4x)}{(3-2x)} = 1\frac{6}{7}$

Definitions, Postulates and Theorems

Read the Theorem's properly and Memorize

Definitions		
Name	Definition	Visual Clue
Complementary Angles	Two angles whose measures have a sum of 90°	
Supplementary Angles	Two angles whose measures have a sum of 180°	
Theorem	A statement that can be proven	
Vertical Angles	Two angles formed by intersecting lines and facing in the opposite direction	
Transversal	A line that intersects two lines in the same plane at different points	
Corresponding angles	Pairs of angles formed by two lines and a transversal that make an F pattern	
Same-side interior angles	Pairs of angles formed by two lines and a transversal that make a C pattern	
Alternate interior angles	Pairs of angles formed by two lines and a transversal that make a Z pattern	
Congruent triangles	Triangles in which corresponding parts (sides and angles) are equal in measure	
Similar triangles	Triangles in which corresponding angles are equal in measure and corresponding sides are in proportion (ratios equal)	
Angle bisector	A ray that begins at the vertex of an angle and divides the angle into two angles of equal measure	
Segment bisector	A ray, line or segment that divides a segment into two parts of equal measure	
Legs of an isosceles triangle	The sides of equal measure in an isosceles triangle	
Base of an isosceles triangle	The third side of an isosceles triangle	
Equiangular	Having angles that are all equal in measure	
Perpendicular bisector	A line that bisects a segment and is perpendicular to it	
Altitude	A segment from a vertex of a triangle perpendicular to the line containing the opposite side	

Read properly and Memorize

Definitions, Postulates and Theorems


Definitions		
Name	Definition	Visual Clue
Geometric mean	The value of x in proportion $a/x = x/b$ where a , b , and x are positive numbers (x is the geometric mean between a and b)	
Sine, \sin	For an acute angle of a right triangle, the ratio of the side opposite the angle to the measure of the hypotenuse. (opp/hyp)	
Cosine, \cos	For an acute angle of a right triangle the ratio of the side adjacent to the angle to the measure of the hypotenuse. (adj/hyp)	
Tangent, \tan	For an acute angle of a right triangle, the ratio of the side opposite to the angle to the measure of the side adjacent (opp/adj)	

Algebra Postulates		
Name	Definition	Visual Clue
Addition Prop. Of equality	If the same number is added to equal numbers, then the sums are equal	
Subtraction Prop. Of equality	If the same number is subtracted from equal numbers, then the differences are equal	
Multiplication Prop. Of equality	If equal numbers are multiplied by the same number, then the products are equal	
Division Prop. Of equality	If equal numbers are divided by the same number, then the quotients are equal	
Reflexive Prop. Of equality	A number is equal to itself	
Symmetric Property of Equality	If $a = b$ then $b = a$	
Substitution Prop. Of equality	If values are equal, then one value may be substituted for the other.	
Transitive Property of Equality	If $a = b$ and $b = c$ then $a = c$	
Distributive Property	$a(b + c) = ab + ac$	

Congruence Postulates		
Name	Definition	Visual Clue
Reflexive Property of Congruence	$A \cong A$	
Symmetric Property of Congruence	If $A \cong B$, then $B \cong A$	
Transitive Property of Congruence	If $A \cong B$ and $B \cong C$ then $A \cong C$	

Read Properly and Memorize


Definitions, Postulates and Theorems

Angle Postulates And Theorems		
Name	Definition	Visual Clue
Angle Addition postulate	For any angle, the measure of the whole is equal to the sum of the measures of its non-overlapping parts	
Linear Pair Theorem	If two angles form a linear pair, then they are supplementary.	
Congruent supplements theorem	If two angles are supplements of the same angle, then they are congruent.	
Congruent complements theorem	If two angles are complements of the same angle, then they are congruent.	
Right Angle Congruence Theorem	All right angles are congruent.	
Vertical Angles Theorem	Vertical angles are equal in measure	
Theorem	If two congruent angles are supplementary, then each is a right angle.	
Angle Bisector Theorem	If a point is on the bisector of an angle, then it is equidistant from the sides of the angle.	
Converse of the Angle Bisector Theorem	If a point in the interior of an angle is equidistant from the sides of the angle, then it is on the bisector of the angle.	

Lines Postulates And Theorems		
Name	Definition	Visual Clue
Segment Addition postulate	For any segment, the measure of the whole is equal to the sum of the measures of its non-overlapping parts	
Postulate	Through any two points there is exactly one line	
Postulate	If two lines intersect, then they intersect at exactly one point.	
Common Segments Theorem	Given collinear points A,B,C and D arranged as shown, if $\overline{AB} \cong \overline{CD}$ then $\overline{AC} \cong \overline{BC}$	
Corresponding Angles Postulate	If two parallel lines are intersected by a transversal, then the corresponding angles are equal in measure	
Converse of Corresponding Angles Postulate	If two lines are intersected by a transversal and corresponding angles are equal in measure, then the lines are parallel	



Read properly and Memorize

Definitions, Postulates and Theorems

Lines Postulates And Theorems		
Name	Definition	Visual Clue
Postulate	Through a point not on a given line, there is one and only one line parallel to the given line	
Alternate Interior Angles Theorem	If two parallel lines are intersected by a transversal, then alternate interior angles are equal in measure	
Alternate Exterior Angles Theorem	If two parallel lines are intersected by a transversal, then alternate exterior angles are equal in measure	
Same-side Interior Angles Theorem	If two parallel lines are intersected by a transversal, then same-side interior angles are supplementary.	
Converse of Alternate Interior Angles Theorem	If two lines are intersected by a transversal and alternate interior angles are equal in measure, then the lines are parallel	
Converse of Alternate Exterior Angles Theorem	If two lines are intersected by a transversal and alternate exterior angles are equal in measure, then the lines are parallel	
Converse of Same-side Interior Angles Theorem	If two lines are intersected by a transversal and same-side interior angles are supplementary, then the lines are parallel	
Theorem	If two intersecting lines form a linear pair of congruent angles, then the lines are perpendicular	
Theorem	If two lines are perpendicular to the same transversal, then they are parallel	
Perpendicular Transversal Theorem	If a transversal is perpendicular to one of two parallel lines, then it is perpendicular to the other one.	
Perpendicular Bisector Theorem	If a point is on the perpendicular bisector of a segment, then it is equidistant from the endpoints of the segment	
Converse of the Perpendicular Bisector Theorem	If a point is the same distance from both the endpoints of a segment, then it lies on the perpendicular bisector of the segment	
Parallel Lines Theorem	In a coordinate plane, two nonvertical lines are parallel IFF they have the same slope.	
Perpendicular Lines Theorem	In a coordinate plane, two nonvertical lines are perpendicular IFF the product of their slopes is -1 .	
Two-Transversals Proportionality Corollary	If three or more parallel lines intersect two transversals, then they divide the transversals proportionally.	





Read Properly And Memorize

Definitions, Postulates and Theorems

Triangle Postulates And Theorems		Visual Clue
Name	Definition	
Angle-Angle (AA) Similarity Postulate	If two angles of one triangle are equal in measure to two angles of another triangle, then the two triangles are similar	
Side-side-side (SSS) Similarity Theorem	If the three sides of one triangle are proportional to the three corresponding sides of another triangle, then the triangles are similar.	
Side-angle-side (SAS) Similarity Theorem	If two sides of one triangle are proportional to two sides of another triangle and their included angles are congruent, then the triangles are similar.	
Third Angles Theorem	If two angles of one triangle are congruent to two angles of another triangle, then the third pair of angles are congruent	
Side-Angle-Side Congruence Postulate SAS	If two sides and the included angle of one triangle are equal in measure to the corresponding sides and angle of another triangle, then the triangles are congruent.	
Side-side-side Congruence Postulate SSS	If three sides of one triangle are equal in measure to the corresponding sides of another triangle, then the triangles are congruent	
Angle-side-angle Congruence Postulate ASA	If two angles and the included side of one triangle are congruent to two angles and the included side of another triangle, then the triangles are congruent.	
Triangle Sum Theorem	The sum of the measure of the angles of a triangle is 180°	
Corollary	The acute angles of a right triangle are complementary.	
Exterior angle theorem	An exterior angle of a triangle is equal in measure to the sum of the measures of its two remote interior angles.	
Triangle Proportionality Theorem	If a line parallel to a side of a triangle intersects the other two sides, then it divides those sides proportionally.	
Converse of Triangle Proportionality Theorem	If a line divides two sides of a triangle proportionally, then it is parallel to the third side.	


Read Properly and Memorize

Definitions, Postulates and Theorems

Triangle Postulates And Theorems		
Name	Definition	Visual Clue
Triangle Angle Bisector Theorem	An angle bisector of a triangle divides the opposite sides into two segments whose lengths are proportional to the lengths of the other two sides.	
Angle-angle-side Congruence Theorem AAS	If two angles and a non-included side of one triangle are equal in measure to the corresponding angles and side of another triangle, then the triangles are congruent.	
Hypotenuse-Leg Congruence Theorem HL	If the hypotenuse and a leg of a right triangle are congruent to the hypotenuse and a leg of another right triangle, then the triangles are congruent.	
Isosceles triangle theorem	If two sides of a triangle are equal in measure, then the angles opposite those sides are equal in measure	 If $A = B$ then $a = b$
Converse of Isosceles triangle theorem	If two angles of a triangle are equal in measure, then the sides opposite those angles are equal in measure	
Corollary	If a triangle is equilateral, then it is equiangular	
Corollary	The measure of each angle of an equiangular triangle is 60°	
Corollary	If a triangle is equiangular, then it is also equilateral	
Theorem	If the altitude is drawn to the hypotenuse of a right triangle, then the two triangles formed are similar to the original triangle and to each other.	
Pythagorean theorem	In any right triangle, the square of the length of the hypotenuse is equal to the sum of the square of the lengths of the legs.	
Geometric Means Corollary a	The length of the altitude to the hypotenuse of a right triangle is the geometric mean of the lengths of the two segments of the hypotenuse.	
Geometric Means Corollary b	The length of a leg of a right triangle is the geometric mean of the lengths of the hypotenuse and the segment of the hypotenuse adjacent to that leg.	
Circumcenter Theorem	The circumcenter of a triangle is equidistant from the vertices of the triangle. (pt of intersection of Altitudes)	
Incenter Theorem	The incenter of a triangle is equidistant from the sides of the triangle. (pt of intersection of angle bisectors)	

Read Properly and Memorize


Definitions, Postulates and Theorems

Triangle Postulates And Theorems		
Name	Definition	Visual Clue
Centriod Theorem	The centriod of a triangle is located $\frac{2}{3}$ of the distance from each vertex to the midpoint of the opposite side. (interscction of medians)	
Triangle Midsegment Theorem	A midsegment of a triangle is parallel to a side of triangle, and its length is half the length of that side.	
Theorem	If two sides of a triangle are not congruent, then the larger angle is opposite the longer side.	
Theorem	If two angles of a triangle are not congruent, then the longer side is opposite the larger angle.	
Triangle Inequality Theorem	The sum of any two side lengths of a triangle is greater than the third side length.	
Hinge Theorem	If two sides of one triangle are congruent to two sides of another triangle and the third sides are not congruent, then the longer third side is across from the larger included angle.	
Converse of Hinge Theorem	If two sides of one triangle are congruent to two sides of another triangle and the third sides are not congruent, then the larger included angle is across from the longer third side.	
Converse of the Pythagorean Theorem	If the sum of the squares of the lengths of two sides of a triangle is equal to the square of the length of the third side, then the triangle is a right triangle.	
Pythagorean Inequalities Theorem	In $\triangle ABC$, c is the length of the longest side. If $c^2 > a^2 + b^2$, then $\triangle ABC$ is an obtuse triangle. If $c^2 < a^2 + b^2$, then $\triangle ABC$ is acute.	
45°-45°-90° Triangle Theorem	In a 45°-45°-90° triangle, both legs are congruent, and the length of the hypotenuse is the length of a length times the square root of 2.	
30°-60°-90° Triangle Theorem	In a 30°-60°-90° triangle, the length of the hypotenuse is 2 times the length of the shorter leg, and the length of the longer leg is the length of the shorter leg times the square root of 3.	
Law of Sines	For any triangle ABC with side lengths a , b , and c , $\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$	
Law of Cosines	For any triangle, ABC with sides a , b , and c , $a^2 = b^2 + c^2 - 2bc \cos A$, $b^2 = a^2 + c^2 - 2ac \cos B$, $c^2 = a^2 + b^2 - 2ab \cos C$	

Read Properly and Memorize



Definitions, Postulates and Theorems

Plane Postulates And Theorems		
Name	Definition	Visual Clue
Postulate	Through any three noncollinear points there is exactly one plane containing them.	
Postulate	If two points lie in a plane, then the line containing those points lies in the plane	
Postulate	If two points lie in a plane, then the line containing those points lies in the plane	

Polygon Postulates And Theorems		
Name	Definition	Visual Clue
Polygon Angle Sum Theorem	The sum of the interior angle measures of a convex polygon with n sides.	
Polygon Exterior Angle Sum Theorem	The sum of the exterior angle measures, one angle at each vertex, of a convex polygon is 360° .	
Theorem	If a quadrilateral is a parallelogram, then its opposite sides are congruent.	
Theorem	If a quadrilateral is a parallelogram, then its opposite angles are congruent.	
Theorem	If a quadrilateral is a parallelogram, then its consecutive angles are supplementary.	
Theorem	If a quadrilateral is a parallelogram, then its diagonals bisect each other.	
Theorem	If one pair of opposite sides of a quadrilateral are parallel and congruent, then the quadrilateral is a parallelogram.	
Theorem	If both pairs of opposite sides of a quadrilateral are congruent, then the quadrilateral is a parallelogram.	
Theorem	If both pairs of opposite angles are congruent, then the quadrilateral is a parallelogram.	
Theorem	If an angle of a quadrilateral is supplementary to both of its consecutive angles, then the quadrilateral is a parallelogram.	
Theorem	If the diagonals of a quadrilateral bisect each other, then the quadrilateral is a parallelogram.	
Theorem	If a quadrilateral is a rectangle, then it is a parallelogram.	
Theorem	If a parallelogram is a rectangle, then its diagonals are congruent.	
Theorem	If a quadrilateral is a rhombus, then it is a parallelogram.	

Read Properly and Memorize



Definitions, Postulates and Theorems

Polygon Postulates And Theorems		
Name	Definition	Visual Clue
Theorem	If a parallelogram is a rhombus then its diagonals are perpendicular.	
Theorem	If a parallelogram is a rhombus, then each diagonal bisects a pair of opposite angles.	
Theorem	If one angle of a parallelogram is a right angle, then the parallelogram is a rectangle.	
Theorem	If the diagonals of a parallelogram are congruent, then the parallelogram is a rectangle.	
Theorem	If one pair of consecutive sides of a parallelogram are congruent, then the parallelogram is a rhombus.	
Theorem	If the diagonals of a parallelogram are perpendicular, then the parallelogram is a rhombus.	
Theorem	If one diagonal of a parallelogram bisects a pair of opposite angles, then the parallelogram is a rhombus.	
Theorem	If a quadrilateral is a kite then its diagonals are perpendicular.	
Theorem	If a quadrilateral is a kite then exactly one pair of opposite angles are congruent.	
Theorem	If a quadrilateral is an isosceles trapezoid, then each pair of base angles are congruent.	
Theorem	If a trapezoid has one pair of congruent base angles, then the trapezoid is isosceles.	
Theorem	A trapezoid is isosceles if and only if its diagonals are congruent.	 <p style="margin-left: 100px;">If $AC = BD$ $\square ABCD$ is isosceles Trap</p>
Trapezoid Midsegment Theorem	The midsegment of a trapezoid is parallel to each base, and its length is one half the sum of the lengths of the bases.	

Read Properly And Memorize

Definitions, Postulates and Theorems

Polygon Postulates And Theorems		
Name	Definition	Visual Clue
Proportional Perimeters and Areas Theorem	If the similarity ratio of two similar figures is $\frac{a}{b}$, then the ratio of their perimeter is $\frac{a}{b}$ and the ratio of their areas is $\frac{a^2}{b^2}$ or $\left(\frac{a}{b}\right)^2$	
Area Addition Postulate	The area of a region is equal to the sum of the areas of its nonoverlapping parts.	

Circle Postulates And Theorems		
Name	Definition	Visual Clue
Theorem	If a line is tangent to a circle, then it is perpendicular to the radius drawn to the point of tangency.	
Theorem	If a line is perpendicular to a radius of a circle at a point on the circle, then the line is tangent to the circle.	
Theorem	If two segments are tangent to a circle from the same external point then the segments are congruent.	
Arc Addition Postulate	The measure of an arc formed by two adjacent arcs is the sum of the measures of the two arcs.	
Theorem	In a circle or congruent circles: congruent central angles have congruent chords, congruent chords have congruent arcs and congruent arcs have congruent central angles.	
Theorem	In a circle, if a radius (or diameter) is perpendicular to a chord, then it bisects the chord and its arc.	
Theorem	In a circle, the perpendicular bisector of a chord is a radius (or diameter).	
Inscribed Angle Theorem	The measure of an inscribed angle is half the measure of its intercepted arc.	 $\angle BAC = \frac{1}{2} \text{arc } BXC$
Corollary	If inscribed angles of a circle intercept the same arc or are subtended by the same chord or arc, then the angles are congruent	
Theorem	An inscribed angle subtends a semicircle IFF the angle is a right angle	
Theorem	If a quadrilateral is inscribed in a circle, then its opposite angles are supplementary.	

Read Properly and Memorize

Definitions, Postulates and Theorems

Circle Postulates And Theorems		
Name	Definition	Visual Clue
Theorem	If a tangent and a secant (or chord) intersect on a circle at the point of tangency, then the measure of the angle formed is half the measure of its intercepted arc.	
Theorem	If two secants or chords intersect in the interior of a circle, then the measure of each angle formed is half the sum of the measures of the intercepted arcs.	
Theorem	If a tangent and a secant, two tangents or two secants intersect in the exterior of a circle, then the measure of the angle formed is half the difference of the measure of its intercepted arc.	
Chord-Chord Product Theorem	If two chords intersect in the interior of a circle, then the products of the lengths of the segments of the chords are equal.	
Secant-Secant Product Theorem	If two secants intersect in the exterior of a circle, then the product of the lengths of one secant segment and its external segment equals the product of the lengths of the other secant segment and its external segment.	
Secant-Tangent Product Theorem	If a secant and a tangent intersect in the exterior of a circle, then the product of the lengths of the secant segment and its external segment equals the length of the tangent segment squared.	
Equation of a Circle	The equation of a circle with center (h, k) and radius r is $(x - h)^2 + (y - k)^2 = r^2$	

Other		
Name	Definition	Visual Clue

Level 8 - Summer Review 2015-16

Given : $\angle 1 \cong \angle 2$
 $\angle 3 \cong \angle 4$



To Prove : $\overline{BA} \cong \overline{DC}$

Proof/ Solution	Statement	Reason

Given : $\overline{BA} \cong \overline{BC}$
 $\overline{DA} \cong \overline{DC}$

To Prove : \overline{BP} bisects $\angle ABC$


Proof/ Solution	Statement	Reason

<p>Given : $\overline{AC} \cong \overline{BC}$ $\overline{CE} \cong \overline{CD}$, $\overline{AE} \cong \overline{BD}$ Prove : $\angle Y \cong \angle S$</p> 	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 80%; text-align: left;">Proof/ Solution Statement</th> <th style="width: 20%; text-align: left;">Reason</th> </tr> </thead> <tbody> <tr> <td style="height: 150px;"> </td> <td> </td> </tr> </tbody> </table>	Proof/ Solution Statement	Reason		
Proof/ Solution Statement	Reason				
<p>Given : $\overline{DC} \cong \overline{DE}$ $\angle X \cong \angle Y$, $\angle Z \cong \angle W$ To Prove : $\overline{AE} \cong \overline{AC}$</p> 	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 80%; text-align: left;">Proof/ Solution Statement</th> <th style="width: 20%; text-align: left;">Reason</th> </tr> </thead> <tbody> <tr> <td style="height: 150px;"> </td> <td> </td> </tr> </tbody> </table>	Proof/ Solution Statement	Reason		
Proof/ Solution Statement	Reason				

8/-Pg (20)

Level 8- Summer Review

Given : \overleftrightarrow{AB} , \overleftrightarrow{CD}
 are straight lines
 $\triangle ECF \cong \triangle CFA$
 $\overline{CF} \cong \overline{FD}$, $\overline{CE} \cong \overline{FB}$
 To Prove : $\angle E \cong \angle B$




Proof/Solution

Statement

Reason

Given : D is mid pt of \overline{AB}
 E is the midpt of \overline{BC}
 $\angle x \cong \angle y$, $\overline{AD} \cong \overline{EF}$
 To Prove : $\angle a \cong \angle s$





Proof/Solution

Statement


Reason

Level 8 - Summer Review

<p>Given : $\overline{BD} \cong \overline{BE}$ $\overline{DA} \cong \overline{EC}$ To Prove : $\angle A \cong \angle C$</p> 	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; text-align: center;">Proof/ Solution Statement</th> <th style="width: 50%; text-align: center;">Reason</th> </tr> </thead> <tbody> <tr> <td style="height: 150px;"> </td> <td> </td> </tr> </tbody> </table>	Proof/ Solution Statement	Reason		
Proof/ Solution Statement	Reason				
<p>Given : $\overline{DA} \perp \overline{AB}$ $\overline{CB} \perp \overline{AB}$, $\overline{AD} \cong \overline{BC}$ To Prove : $\overline{AC} \cong \overline{BD}$</p> 	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; text-align: center;">Proof/ Solution Statement</th> <th style="width: 50%; text-align: center;">Reason</th> </tr> </thead> <tbody> <tr> <td style="height: 150px;"> </td> <td> </td> </tr> </tbody> </table>	Proof/ Solution Statement	Reason		
Proof/ Solution Statement	Reason				

8/Pg (22)


Level 8 - Summer Review



To find: x

\overline{AC} \overline{BC}

Proof/ Solution Statement	Reason




Given: $\angle D \cong \angle C$
 $\angle 2 \cong \angle 1$, midpoint
of \overline{DC} is M
To Prove: $\overline{DB} \cong \overline{CA}$

Proof/ Solution Statement	Reason


8/Pg (23)

Level 8 - Summer Review



find: x
 $\angle CDB$, $\angle ABD$

Proof/ Solution	Reason
Statement	Reason




Given: ABCDE is
 a regular pentagon
 $\angle E \cong \angle C$
 Find: \overline{AD} , \overline{BD}

Proof/ Solution	Reason
Statement	Reason

8/Pg (24)

Level 8 - Summer Review




Given : $\overline{AC} \cong \overline{AD}$

$\overline{BC} \cong \overline{BD}$

To Prove : $\overline{CE} \cong \overline{DE}$

Proof/ Solution	
Statement	Reason



Given : $\overline{EF} \cong \overline{DF}$

$\angle EFC \cong \angle DFC$

To Prove : $\overline{AC} \cong \overline{BC}$


$\angle ECF \cong \angle DCF$

Proof/ Solution	
Statement	Reason


8/Pg (25)

Level 8 - Summer Review


(1) Is $\Delta PRT \sim \Delta PXS$



(2) In a 30-60-90 Δ , Prove that the side opposite to 30° is half the hypotenuse




(3) In a 45-45-90 Δ , Prove that the side opposite the 45° angle is $(\frac{1}{\sqrt{2}}) \times$ hypotenuse




Level 8 - Summer Review

(1) In $\triangle ABC$ $DE \parallel AC$ $EF \parallel AB$
Prove that: $\frac{AD}{DB} \times \frac{AF}{FC} = 1$



(2) Ray XP divides $\angle YXZ$ in the ratio 1:3 and $XP = PY$. $\angle ZXQ = 108^\circ$
find $m\angle Z$




Answers:

Level 8 - Summer Review

Given: $\square ABCD$ is a Trapezoid

Prove:

$A(\triangle ACD) = A(\triangle BCD)$



Proof/ Solution

Statement

Reason


Given: In $\triangle ABC$

E is mid pt of \overline{BC}

D is the mid pt of \overline{AC}

To Prove:

$A(\triangle ABE) = A(\triangle CBD)$




Proof/ Solution

Statement

Reason

Level 8 - Summer Review


Given : $\square ABCD$ is a $\parallel gm$
To Prove : The 4 Δ 's formed
 are equal in area



Proof/ Solution
Statement

Reason

Given : $\square ABCD$ is a
 Quad with M as
 the midpt of diagonal
 AC




To Prove : $A(\square ABMD) = A(\square CBMD)$
Proof/ Solution

Statement


Reason

Level 8 - Summer Review

- a) The lengths of the diagonals of a rhombus are 30 and 40. find the perimeter of the rhombus




- b) Given : $\square ABCD$ is isosceles Trapezoid.
find: Height of the Trapezoid




Level 8 - Summer Review

- a) In right $\triangle ABC$, Altitude \overline{CD} is drawn to Hypo \overline{AB}
 $CD = 12$, \overline{AD} exceeds \overline{BD} by 7. find: BD , AD




- b) In right $\triangle ABC$, \overline{CD} is the Altitude to hypo \overline{AB}
 $\overline{CD} = 3$, \overline{DB} exceeds AD by 7. find AD and DB .



Summer Review (Level 8)


- a) In isosceles Trap ABCD, $\angle A = 45^\circ$, longer base = 17
Shorter base = 7 find $\angle(BD)$



- b) Given : $BC \perp CA$, M is the midpt of AB

$\overline{MD} \perp BC$, $\overline{CM} = 10$, $\overline{MD} = 8$

find : $P(\triangle ABC)$



$$11) 40xy + 30x - 100y - 75$$

$$12) 75a^2c - 45a^2d - 30bc + 18bd$$

$$13) 192x^2y + 72x^3 - 24rxy - 9rx^2$$

$$14) 90au - 36av - 150yu + 60yv$$

$$15) 140ab - 60a^2 + 168b - 72a$$

$$16) 105ab - 90a - 21b + 18$$

$$17) 16x^2c + 8xyd - 16x^2d - 8xyc$$

$$18) 150m^2nz + 20mn^2c - 120m^2nc - 25mn^2z$$

$$19) 105xuv + 60xv - 70xu - 90xv^2$$

$$20) 112xy - 16x + 128x^2 - 14y$$

26) The ski club with ten members is to choose three officers captain, co-captain & secretary, how many ways can those offices be filled?

27) You just bought five new books to read. You want to take two of them with you on vacation. In how many ways can you choose two books to take?

28) Larry has 12 different shirts to pick from for vacation. If he needs to pick three of them, how many different combinations are there?

29) Randy has to pick two people to work with out of 15. How many different groups can he pick?

30) There are eighteen astronauts trying to go on a mission to Mars. However, there are only four seats on the rocket. How many different groups of four can go on the rocket?

Rough work space

31)

Suppose that first, second, and third-place winners of a contest are to be selected from eight students who entered. In how many ways can the winners be chosen?

32)

A basket contains five different pieces of fruit. If three people each choose one piece, in how many different ways can they make their choices? - All 5 fruits are different.

33)

How many different ways can you frame two out of five pictures in different frames?

34)

How many different arrangements of four books on a shelf could you make from eight books?

35)

You are posing for a picture with seven people in it altogether. In how many different orders can everyone stand?

36)

Describe the difference between a permutation and a combination.

<u>permutation</u>	<u>combination</u>
--------------------	--------------------

(40)

(4)

a) Construct $\square PQRS$ $PQ = 3\text{cm}$, $QR = 2.4\text{cm}$,
 $PS = 3.9\text{cm}$, $PR = 4\text{cm}$, $QS = 5.6\text{cm}$

b) Construct $\square ABCD$ such that $AB = 5.3\text{cm}$,
 $BC = 3.7\text{cm}$, $\angle A = 50^\circ$, $\angle B = 95^\circ$, $\angle C = 110^\circ$

(41)

a) Construct Parallelogram ABCD such that

$BC = 6\text{cm}$, $CD = 4.2\text{cm}$, $\angle C = 40^\circ$

b) Construct Parallelogram ABCD, diagonal AC = 7.6cm

Diagonal BD = 6.3cm. The angle between the diagonals is 40°

- (42)
- a) Construct Rectangle ABCD such that $AB = 4.5\text{cm}$, diagonal $AC = 6.2\text{cm}$
- b) Construct Rhombus PQRS such that $PQ = 5.6\text{cm}$, $\angle P = 35^\circ$

8/Pg (38)

(43)

a) Construct a rhombus ABCD, AB = 5cm, diagonal AC = 6.9cm

b) Draw ΔPQR , PQ = 7cm, QR = 6cm, PR = 4cm, Draw the incircle to the triangle

8/Pg

39

45) Solve

a) $(3x + 2y - 4)(x - y + 2)$

$$= 3x(x - y + 2) + 2y(x - y + 2) - 4(x - y + 2)$$

b) $(x^2 - 5x + 8)(x^2 + 2x - 3)$

c) $(x^2 - 5x - 8)(x^2 + 2x - 3)$

44)

If $x = 2a^2 + 3b^2 - 5ab$, $y = b^2 - 3a^2 + 7ab$ and $z = 6a^2 - b^2 + ab$ Find the value of

a)

$$2x + y - 3z$$

b)

$$3(x - y) + z$$

Answers:

Circle Properties (Continued Page 5) – Represent the properties using figures

C2

C1

<p>The measure of an angle inscribed in a semicircle is 90 degrees.</p>	<p>In a circle or congruent circles, if inscribed angles are congruent, then the central angles are also congruent.</p>
<p>In a circle or congruent circles, if inscribed angles are congruent, then the intercepted arcs are also congruent.</p>	<p>In a circle or congruent circles, if intercepted arcs are congruent, then the inscribed angles are also congruent.</p>
<p>Opposite angles of a cyclic quadrilateral are supplementary</p>	<p>Parallel lines which intersect a circle intercept equal arcs on the circle.</p>


a)

b)

8/Pg 42

C1


Given : $AB \parallel CD$
 $\widehat{AB} = 80^\circ$
 $\widehat{CD} = 120^\circ$
 find : x



Statement	Reason

C2

Given : \overline{AOC} is
 the diameter . y
 $\widehat{AB} = y$, $\widehat{BC} = 3y$ A
 find : x, y



Statement	Reason

a)

8/Pg (43)